

FLYEROVY ŘETĚZY

Řada AL dle normy ČZ

OZN. ČZ	JMENOVI TÁ ROZTEČ	KOM BIN. DEST.	PRŮMĚR ČĚPU	DĚLKA ČĚPU	ŠÍŘKA DEST. VNITŘNÍ	TLOUŠTKA DEST. VNĚJŠÍ	TLOUŠTKA DEST. SPOJOVACÍ	HMOTNOST	PEVNOST PŘI PŘETŘEŽENÍ
	p		d2 max.	b4 max.	h2 max.	T2	T3	q	FB min.
	mm		mm	mm	mm	mm	mm	kg/m	N
AL 466	12,7	6 x 6	3,96	22,20	10,90	1,50	1,50	1,26	48 000
AL 423 H	12,7	2 x 3	5,08	13,10	10,90	2,00	2,00	0,7	30 000
AL 522	15,875	2 x 2	5,08	11,00	12,90	2,00	2,00	0,61	27 200
AL 522 spec.	15,875	2 x 2	5,08	20,20	12,90	2,00	2,00	0,69	27 200
AL 523	15,875	2 x 3	5,08	13,10	12,90	2,00	2,00	0,75	31 200
AL 534	15,875	3 x 4	5,08	14,80	12,90	2,00	2,00	1,04	43 700
AL 544	15,875	4 x 4	5,08	19,40	12,90	2,00	2,00	1,18	57 000
AL 566	15,875	6 x 6	5,08	27,20	12,90	2,00	2,00	1,78	90 000
AL 588	15,875	8 x 8	5,08	35,30	12,90	2,00	2,00	2,56	117 500
AL 622	19,05	2 x 2	5,94	12,60	15,70	2,40	2,40	0,88	40 000
AL 623	19,05	2 x 3	5,94	15,10	15,70	2,40	2,40	1,09	40 000
AL 634	19,05	3 x 4	5,94	19,90	15,70	2,40	2,40	1,51	65 000
AL 644	19,05	4 x 4	5,94	22,60	15,70	2,40	2,40	1,51	80 000
AL 646	19,05	4 x 6	5,94	27,40	15,70	2,40	2,40	2,15	80 000
AL 666	19,05	6 x 6	5,94	32,60	15,70	2,40	2,40	2,58	120 900
AL 688	19,05	8 x 8	5,94	42,60	15,70	2,40	2,40	3,91	133 400

Složení destiček lze kombinovat i jiným způsobem dle požadavku zákazníka

FLYEROVY ŘETĚZY

Řada AL dle normy ČZ

